

# SSLAS introduces

# THE HIGHEST POINT OF DOWNLIGHTS

Stretta, an Italian musical phrase meaning "narrow" and "tight," refers to a composition performed with acceleration to end in a crescendo!

This family of specification-grade, small-aperture downlight fixtures offers a sleek, minimalist design that makes a statement. Designed to meet the functional demands of the professional design community, Stretta is the perfect downlight for illuminating a magnitude of markets including commercial, residential, retail and hospitality.

# **Ratings + Certifications**

- IC rated
- UL listed for dry and damp locations
- UL listed for wet locations with lensed trim or wall wash trim
- Spray foam rated
- Chicago Plenum rated
- Title 24 and JA8 compliant
- Airtight per ASTM E283
- Conforms to Washington State Energy Code





# Imal in size, big on features

#### Toolless driver access

Proprietary driver offers universal dimming to 1% for TRIAC, ELV and 0-10V. Compatible with third-party drivers, which include Lutron Hi-lume® and eldoLED SOLOdrive®.

#### Maintenance indicator

Driver is serviceable from below the ceiling. Features a maintenance indicator to simplify troubleshooting.

#### Low-profile 4-inch housing height

For all trim options, designed for new construction. It is inherently airtight, IC-rated and complies with Chicago Plenum requirements.

#### Square or round housing plate

Features alignment tabs for perfect collar installation. Housing plate serves as a guide to reduce measuring for ceiling cutouts.

#### Total adjustability

Magnetically held proprietary 40-degree vertical tilt, 360-degree rotation arm, allowing center-beam optics to be maintained through the inner trim aperture. Toolless arm is easily removed or adjusted post-installation to allow for below-the-ceiling "hot aiming" and accessory swaps.

#### Interchangeable plug-and-play module

Snaps into place, allowing for luminaire placement after housing installation. Provides lower cost of ownership.

#### Industry-leading LEDs

Enhanced two-step MacAdam Ellipse LED color binning is standard.

#### Solais designed TIR optics

Best-in-class performance, delivering excellent beam control that is clean, smooth and precise.

#### Module accessory holder

Holds up to two field-replaceable lenses and louvers.

#### Notched collars


Allow for easy, precise alignment during installation. Accommodate a 5/8" ceiling thickness and a 3/4" thickness for millwork.

#### Magnetic trim engagement system

Removes possible installation errors and minimizes risk for light leak, regardless of ceiling conditions. Holds up to one field-replaceable lens.

# Itella boasts versatility, performance and efficacy

# **Trim Details and Offerings**



### **Performance Packages**

**7.5W**; 500 lumens (VNSP 10° only)

**13W;** 900 lumens **15W;** 1200 lumens

**19W;** 1400 lumens **25W;** 2000 lumens




# **Adjustability**





### **Beam Spreads**



CRIs •80+ •90+ •97+

## **Color Temperatures**

#### Standard



#### MonoWhite™

Solais' exclusive color-enhancing technology that intensifies contrast, brightens whites and makes colors pop by bridging the cyan color gap with higher-gamut color rendering.



5000K

#### Dim to Warm



#### Tunable White



# SOLAIS LIGHTING GROUP

Solais Lighting Group (SLG) is a fast-growing, technologically relevant, market-driven manufacturer. We push the innovation envelope to create LED products that replace traditional lighting technologies, with zero compromise to aesthetics and performance.

SLG's products provide quality lighting for its retail, hospitality, supermarket, museum, commercial and utility clients, which include the world's leading brands.

For additional information on Solais Lighting Group's Solais and EnergyLite brands, visit us at www.solais.com.

