

CREATED BY SSLAIS

SSLAIS introduces ARRAAV POWERED BY LUCIE

FIT FOR EVERY AESTHETIC

The beauty of a well-designed fixture is found in its ability to heighten its surroundings without creating discord. The Array[™] family of multiples accomplishes this by placing powerful subtlety at the forefront of design. The Array[™] blends with the sensibilities of any space — an optimal fixture across the board.

Contemporary profiles and modern, minimalist aesthetics meet a level of functionality befitting anything from the most utilitarian to the most ornamental of spaces. Powered by our modular Lucie[™] light engines, the Array[™] pull-down family from Solais[®] is a set of multiples that exude excellence through and through.

Ratings + Certifications

- IC rated
- IP20 and IK08 rated
- UL listed for dry locations (E486938)
- Chicago Plenum rated
- Contains no lead or mercury



Where light leads to richness

INSTALLATION OPTIONS

Inherently a remodel fixture, a new construction tray with a preinstalled whip and option for commercial mounting brackets, featuring both vertical and horizontal adjustment, provides ease of installation.

APPLICATION VERSATILITY

Trim options include open and beveled slotted styles with choices of flanged, microflanged, and flangeless installations.

Re

DURABLE HOUSING

Available in one-, two-, three-, and four-head configurations, the Array[™] housings are inherently Chicago Plenum, IC, IP20 and IK08 rated. The integrated safety cable provides optimal security.

INTERCHANGEABLE PLUG-AND-PLAY MODULES

Modules plug into Solais' proprietary sockets quickly and easily, allowing for up to 45° of aiming, 359° of rotation, and 2⁵/₈" of intuitive vertical tension per head for optimal adjustability. Solais' custom TIR optic platform ensures excellent light control – harmonizing your point source[™].



SELF-ADJUSTING COLLARS

The collar features two to four tabs that self-compress with the twist of a Phillips screw, allowing even more versatility in ceiling thickness applications from ½" to 1³/₈". A perfect solution for gypsum, millwork, T-bar, and specialty ceiling applications.

PROPRIETARY POWER SUPPLY

Solais' universal 120-277V input driver provides TRIAC, ELV or 0-10V smooth, flicker-free dimming to 1%.

The perfect combination of versatility, performance, and elegance

Trim Details and Offerings

FIXTURES



1-Head



3-Head



Flanged

Beveled

Slotted

Flanged



Microflange Flangeless

Slotted

Flangeless

Beveled

Slotted

Microflange



Perfect White Black (PW) (BK)



Beam Spreads



CRIs

Performance Packages

4-Head

2-Head

(delivered lumens per head)

NAR

8W/700 lumens **10W /** 1000 lumens SAR **9W**/600 lumens (VNSP only)

11W / 1200 lumens 16W/1600 lumens **19W/**2000 lumens **15W /** 1000 lumens (Dim-to-Warm)

Adjustability

- 359° rotation
- Up to 45° aiming per head



• 2 ^s of vertical adjustment with 2 pull-down settings and intuitive tension in between





3000K





• 95 CRI Standard • 98+ CRI Option

1800K

Solais[®] is the preeminent market-driven manufacturer of architectural-grade lighting solutions in North America. Our primary focus lies in the development of products that seamlessly merge form and functionality. Technologically oriented and nimble, Solais innovates at every opportunity to replace outdated ideas in lighting, never compromising on aesthetics or performance.

Solais has become a turnkey provider to leading brands in the commercial, retail, residential, hospitality, supermarket, museum, and utilities markets throughout the world. Motivated by an unwavering commitment to cutting-edge innovation, we strive to transform our clients' environments with LED lighting solutions that *meet at the intersection of engineering and design*^M.

For additional information on Solais and EnergyLite, visit us at **www.solais.com**





Solais Lighting, LLC | www.solais.com | 8655 Corporate Drive, Suite 100, Frisco, TX 75033 | 469.294.1516